




Prisliste pr. 1. Januar 2016

Scanner produkter fra Elektral

Beløb i danske kr. Excl. Moms og levering.

THRUSCAN WALK-THROUGH METAL DETECTORS PRICE LIST 2016

| MODEL | CODE | UNIT PRICE DKR | PICTURE | DESCRIPTION |
|--------------------|--------------|----------------|---|---|
| <i>ThruScan s3</i> | 869755498115 | 18.995 |  | <p>CE Mark, 3 Multi-Zone, Detects ECAC threat objects,10 security Level, IR Pass Sensor On-Off Selection, Five digit incoming counter. Outdoor package IP 65</p> <p align="right">Compete with Chinese</p> |
| <i>ThruScan s6</i> | 869755498116 | 20.995 |  | <p>CE Mark, 6 Multi-Zone, Detects ECAC threat objects,10 security Level, IR Pass Sensor On-Off Selection, Five digit incoming counter. Outdoor package IP 65</p> <p align="right">Compete with Chinese</p> |
| <i>ThruScan s9</i> | 869755498111 | 22.995 |  | <p>9 Zones, LED Zone Indicators, Detects ECAC threat objects, IP 44, UPS for 2 hours, Telemetry Program, Auto Calibration, Compact Design. BEING USED AT JAILHOUSES AND COURT HOUSES IN GERMANY BY THE MINISTRY OF JUSTICE, GERMANY Outdoor package IP 65</p> <p align="right">Compete with Chinese</p> |

ThruScan sx

869755498112

32.995



Contemporary Design, 9 Multi-zone, Separate Zone Sensitivity, LED Zone Indicators, 20 Security Levels- 246 steps, Detects ECAC threat objects, IP 65, 5 digit counters, Real Time Telemetry Program,

WIDELY USED BY MINISTRY OF DEFENSE AT MILITARY PREMISES, PLICE PREMISES, GENDARME FORCES AND THER GOVERNMENT PREMISES

Outdoor package IP 65

**The Best Deal
Price/Performance**

ThruScan s15-i

869755498132

42.295



Random Alarm Feature, Statistical Logs, 15-9 zones, LED Zone Indicators, HIGH Sensitivity, ECAC DOC 30 Standard 2 compliance, UPS, 4 Menu Languages, Orientation free operation, Real Time Telemetry program,

ECAC COMPLIANT AIRPORT AND JAILHOUSE MODEL

Outdoor package IP 65

Advanced Features

ThruScan sX-i






869755498114

46.995

















Graphical LCD, 15 or 9 zones, LED Zone Indicators, HIGH Sensitivity, ECAC DOC 30 Standard 2 compliance, UPS, Desired Language, Orientation free operation, Real Time Telemetry program, IP 65, NIJ0601.02 Small Object Sensitivity – SUPERIOR DISCRIMINATION

**High Class – ECAC
CERTIFIED Model**

| | | | | |
|---|--------------|---------------|--|---|
| <i>ThruScan sX-WP</i> | 869755498113 | 49.495 |  | <p>IP-65 WEATHERPROOF OUTDOOR MODEL, Multizone, sX Features...</p> <p style="text-align: right;">Outdoor Usage</p> |
| THRUSCAN HAND HELD METAL DETECTORS | | | | |
| <i>ThruSec</i> | 900000000122 | 1.495 |  | Audio, Vibration, Low sensitivity. |
| <i>ThruScan</i> | 869755498129 | 1.695 |  | Manufactured in compliance with ECAC Criteria. Optimum sensitivity. On-Off Switch Operation. Stand By 3 mA consumption, Rechargeable Battery with plug-in Charger, 420 Gr. |
| <i>ThruScan dX</i> | 869755498122 | 2.095 |  | High sensitivity. Sensitivity Adjustment. Touch-button Membrane. Visual Display for Battery condition and Metal Object density. Stand By 5 mA, alarm 15 mA consumption, Unique Design |
| <i>ThruScan dX-X</i> | 869755498127 | 2.795 |  | Ultra High sensitivity. Sensitivity Adjustment. Touch-button Membrane. Visual Display for Battery condition and Metal Object density. Stand By 5 mA, alarm 15 mA consumption, Unique Design |

THRUSCAN WALK-THROUGH METAL DETECTORS OPTIONAL ACCESSORIES

| ACCESSORY | CODE | UNIT PRICE DKR | PICTURE | DESCRIPTION |
|-------------------------------------|--------------|----------------|--|--|
| NILECJ TEST KIT | 869755498919 | 16.995 |  | NILECJ Test Pieces Bag, American National Law Enforcement and Justice norms to test Walk-Through Metal Detectors. Consists of different size Metal Objects simulating Guns, Smaller Threat Objects to be detected and some Everyday use Metal Belongings considered not dangerous which the WTMDs should not Give alarm at Certain Sensitivity Levels. |
| ECAC TEST KNIVES | 869755498919 | 995 |  | Including Opinel No: 10 ve No:12 test knives |
| KIOSK | 869755498191 | 18.995 |  | PC-Terminal |
| VIDEO PROSECUTION UNIT | 869755498191 | 6.795 |  | This Special Package consists of the DVR System Embedded to the WTMD Main Board, the Camera Assembly, Camera and the SD Card Storage Media as well as the TC Out Video Connection Sockets. Alarmed visitors images/video are automatically captured with a time-stamp and saved in 2 GB SD Card up to ~30.000 images. System allows recording of All Visitors/Alarmed Visitors Only with a time-stamp and queue number. This package is only available with sX, s15-i and sX-i models. |
| SRC – SCADA REMOTE CONTROL SOFTWARE | 869755498194 | 5.795 |  | SRC SCADA Telemetry Program enabling 100 m cable connection to a remote PC and possibility to Network up to 99 WTMDs via one PC. Monitoring of Alarms, Changes with the Settings and Statistical Data Recording is available. Communication interface is RS232/RS485. For fast Access to settings and Safe Screening of Prisoners at some Airports and Jailhouses this program is in use. Some Shopping Malls prefer to use this system for the Statistical Records. This software is available Real-Time with sX and sX-i models whilst a simpler version to change only the settings is available for the models s3, s6 and s9. Upon request, the system can be provided with Ethernet IP Protocol for remote access over a network. |
| sX-i SCADA REMOTE CONTROL SOFTWARE | 869755498194 | 7.565 |  | REAL TIME Monitoring of Alarms, Changes with the Settings and Statistical Data Recording is available. Communication interface is RS232/RS485. For fast Access to settings and Safe Screening of Prisoners at some Airports and Jailhouses this program is in use. Some Shopping Malls prefer to use this system for Statistical Records. Saves all logs. Keeps pictures of transit passengers and can send the reports by e-mail or SMS. CAMERA INCLUDED TO THE PRICE. |
| IRDA – PILOT REMOTE CONTROL UNIT | 869755498195 | 2.195 |  | IRDA Remote Control Unit for remote settings of the WTMDs (password protected). Ergonomically designed Pilot Remote Operates with two AAA Batteries. The same Remote can be used with the Real-Time Video Prosecution Unit with a different password entry. Available with sX, s15-i, sX-i and sX-WP models. |

| | | | | |
|---|--------------|-------------------|--|--|
| ABS RAIN SHELTER | 869755498196 | 2.995 |  | ABS Rain Shelter provides increased protection for temporary outdoor use except the outdoor model ThruScan/SX WP. Safe drainage of Rain Water from single chute. Cable entry holes on top for mains supply. Available with all ThruScan Metal Detectors. |
| EXTRA BATTERY GROUP | 869755498954 | 3395-5.395 |  | Extra Battery Pack for longer time outs against electricity cut Offs and/or the use of WTMDs whereby there is no electricity. (Provides 4-8-12 hours of operation on demand) High level of protection enabling Outdoor Use. |
| LED ZONE INDICATORS ON BOTH SIDES (BACK/FRONT) | 869755498955 | 6.195 |  | LED zone indicators at the back of the detector can also be put at the front face. In this case, a security guard can notice alarms from behind the device also. People waiting in screening queue can also see where the detected metals are on the persons in the passage. Available with sX, s15-i-i and sX sX-WP models. |
| OBJECT SLIDING TABLE | 869755498192 | 2.395 |  | Object Sliding Table is a Must Have product for professional Security Checkpoint Concealed Weapons Detection applications. It is made of rugged water resistant ABS material used for WTMDs and its special design sliding part on top provides ease of use and offers comfort for visitors. Technical Specifications: Made of 4 mm ABS Plastic, approx 780 x 490 x 350 mm 100 mm sliding top depth Available with all WTMD Models. |
| WHEELED TRANSPORTATION ACCESSORY | 869755498198 | 2.995 |  | WTMD Wheeler is used for the transportation of the Assembled WTMD Units on flat surfaces. This simplified transportation ease allows the transportation of the unit by 1 (one) person and provides mobility to WTMDs when required. Available with all WTMD Models. |
| VEHICLE INSPECTION MIRROR | 869755498197 | 2.095 |  | Easy to use ergonomic crutch handle, Aluminum Extension, 30 cm diameter Convex Mirror, Spherical Wheel, Flashlight Assembly for Illumination |
| CARRY BAG | 900000000194 | 1.495 |  | Provides ease of Transportation of the Unassembled WTMD Units on Installation areas or where special mobility requirements occur. This accessory is designed to meet the demanding Security Industry expert's expectations. It is made of Water Resistant outer surface. Available with all WTMD Models. |
| QUEUE BARRIER | 900000000193 | 1.295 |  | Chrome plated, 90 cm height, weights approx. 9 kg, 2.5 m length and 48 mm thick red ribbon with yellow ThruScan logo print. 76 mm Pole diameter with inbuilt automatic winding mechanism. Quadruple ribbon fixing joints enabling versatile usage. Steady stand with carved design flange. |